APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	NOV 13 2002	<u> </u>
Returned to applicant for correction	DEC 12 2002	
Corrected application filed		
Map filed		

The applicant William R. Wohle & Christina C. Wohle hereby make application for permission to change the Point of Diversion of a Portion of water heretofore appropriated under Permit 19256, Certificate 6635

- 1. The source of water is underground
- 2. The amount of water to be changed 2.94 c.f.s., 979.39 AFS
- 3. The water to be used for Irrigation
- 4. The water heretofore permitted for Irrigation
- 5. The water is to be diverted at the following point NE¼ NE¼ Sec 10, T. 24N R. 40E MDB&M
- 6. The existing permitted point of diversion is located within SE¼ NE¼ Sec 10 T. 24N R. 40E MDB&M or at a point from which the E¼ corner of said Sec 10 bears S 52° 36' E a distance of 114.95 feet.
- 7. Proposed place of use No Change
- 8. Existing place of use 244.8475 acres in the N½ of Sec 10 T. 24N. R. 40E., MDB & M
- 9. Use will be from **Feb 15** to **Nov 15** of each year.
- 10. Use was permitted from **Feb 15** to **Nov 15** of each year.
- 11. Description of proposed works Well, pump, & sprinkler system
- 12. Estimated cost of works 40,000
- 13. Estimated time required to construct works 6 months
- 14. Estimated time required to complete the application of water to beneficial use 3 yrs

15. Remarks:

By Christina C. Wohle s/ Christina C. Wohle HC 61 Box 169 Battle Mt, NV 89820

Compared jal/sam		
Protested		
CANCELLED JUL 1 5 2003 FAILURE TO REFILE CORRECTED APPLICATION WITHIN STATUTORY TIME LANCELLED JUL 1 5 2003 BECAUSE OF STATE ENGINEER	******	
CANCELLED JUL 1 5 2003 BECAUSE OF FAILURE TO SUBMIT A SUPPORTING MAP Like P.E. STATE ENGINEER		